Updated Risk Assessments to minimise the risk of being exposed to Covid-19

Kilcolman NS

The process involved consultation with all school staff.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in Kilcolman NS to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St. Projects in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	

1-5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

*Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected?	Identified Risks	Risk Communication, Education and Training	Risk Rating	Action implementation
anecteu:		Controls	with controls	Action implementation

	 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women 	implementing the action plan for within the school and all staff introduced, using specific ris	be properly consulted when developing and or the prevention and mitigation of Covid-19 will be informed about the measures being k communication and staff engagement	Negligible	
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Provide posters, informatio awareness of Covid-19 amo Promote safe individual pra Engage with staff in providi their effectiveness Provide regular informatio sources, such as governme Health Organisation Emphasise the effectiveness good personal hygiene 	necessary training prior to returning to work n and electronic message boards to increase ng staff and pupils ctices within the school campus ng feedback on the preventive measures and n about the risk of Covid-19 using official nt agencies (HSE, HSA, etc.) and the World s of adopting protective measures especially he proper use of PPE for staff, where required		
Risk Level Calculat (a) Severity of risk, (b) Likelihood of e (c) Risk Rating = (a	/injury 1=trivial, 2=slight, 3=mc vent 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furthe16-25Emergency riskHalt activity and review in		ntrol
Assessment Date:			Assessor's Name:		

August 2020

Who may be affected?			Controls	with controls	
All staff Pupils Visitors Contractors Public	 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell 	 (i.e. hand gel dispensers, etc.) will be avail ✓ Wash their hands properly and ofter o After coughing or sneezing o Before and after eating or prepation of the second after using protective o When arriving and leaving the second after toilet use ✓ Cover their mouth and nose with a tiss ✓ Put used tissues into a bin and wash the ✓ Develop a routine of increased cleaning and surfaces The BoM will supply required cleaning proceased storage of disinfectants and will ensure No employees are permitted to attend work of the second storage of breath ✓ Fever (temperature of 37.5 degree ✓ Cough ✓ Shortness of breath ✓ Breathing difficulties Any staff Member displaying symptoms means the second storage of using a storage of using a storage of using with someone with a storage of using the second storage of using a symptom of the second storage of using the second storage of the second storage of the second storage of using the second storage of the second storage of using the second storage of the second storage of using the second storage of the second storage of using the second storage of the second storage of using the second storage of using the second storage of using the second storage of u	aring food ve gloves school campus sue or their sleeve when coughing and sneezing. heir hands ng and disinfecting of frequently touched objects ducts, will ensure the correct use all products are stored safely and securely. wrk if they display any of the symptoms below: - tes or above) ust self-isolate and not attend school for 14 days ho is self-isolating or waiting for a Covid-19 test tive for Covid-19 must not return to work until	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calcula (a) Severity of risk (b) Likelihood of e (c) Risk Rating = (a	<pre>k/injury 1=trivial, 2=slight, 3=mode event 1=rare, 2=unlikely, 3=likely a) X (b)</pre>	rate, 4=major, 5=fatality , 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review in		trol
Assessment Date	:		Assessor's Name:		

Who may be affected?	Identified Risks		ygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 facility (buildings and grounds). Appropriate social distancing markings and Necessary PPE is available to staff Standard cleaning and maintenance regin Toilet facilities are cleaned regularly No drinks/ water will be provided to pupi Equipment sharing is minimised. Staff are There is regular cleaning of frequently the essential cleaning materials to keep wipes/disinfection products, paper towel All school equipment is sanitised – cleaning There is staggered use of canteen/kitcher Bins are provided for disposal of waste materials All waste collection points are emptied refersed Staff use gloves when removing rubbish based 	hes are put in place and detailed records retained s encouraged not to share equipment buched surfaces and that staff are provided with their own work areas clean (for example s and waste bins/bags) g programmes to be devised to ensure that shared ween use by different people where social distancing guidelines can be applied nor other communal facilities terials (tissues, paper towels, wipes, etc.) and that to be put in place to ensure they do not overflow gularly throughout and at the end of each day.	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculatic (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=moderate, 4 nt 1=rare, 2=unlikely, 3=likely, 4=ve		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further act16-25Emergency riskHalt activity and review immediate		
Assessment Date:			Assessor's Name:		

Who may be affected?	Identified Risks	Social Distancing Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	 school, use of welfare facilities and while working in the school physical spacing (2 metres apart currently) for work stations and common spaces, such as entrances/exits, kithchen areas, where congregation of staff, or students or visitors might occur Break times will be staggered and school supervision procedures must be strictly adhered to 	Requires monitoring Serious	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/inju (b) Likelihood of event (c) Risk Rating = (a) X (1=rare, 2=unlikely, 3=likely, 4=			
Assessment Date:		Assessor's Name:		

Who may be affected?	Identified Risks		aning	Risk Rating with controls	Action implementation
Staff especially cleaning staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 items handled at work or during break have bring to work (e.g. mobile phones surfaces or they will need to clean the s ✓ Sufficient cleaning materials and PPE w ✓ Cleaning staff will be instructed to wear to wash their hands thoroughly with gloves ✓ System in place for the disposable of Current HSE guidance recommends w person suspected of having Covid-19 s area for 72 hours before being present 	onal items that have been brought to work and s. Staff advised to clean personal items that they s) and to avoid leaving them down on communal surface after the personal item is removed ill be available to allow for increased cleaning gloves when cleaning and are aware of the need soap and water, both before and after wearing cleaning cloths and used wipes in a rubbish bag aste such as cleaning waste, tissues etc. from a should be double bagged and stored in a secure ed for general waste collection plemented by BKR including disinfection fogging	Requires monitoring	Board of Management Principal Staff
(a) Severity of risk/injury1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality1-5(b) Likelihood of event1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable6-10(c) Risk Rating = (a) X (b)16-2		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review inAssessor's Name:Acceptable		ntrol	

Who may be affected?	Identified Risks	Office and administration areas	Risk Rating	Action implementation
unceted.		Controls	with controls	Action implementation
Staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	 Office capacity to be limited to facilitate the maintenance of physical distancing designated workstations and staff Perspex guard to be installed in office The number of employees permitted to work in an office at any particular tim limited as a necessary control measure to protect health and safety. 	Requires monitoring	Board of Management Principal Administration staff
Risk Level Calculatic (a) Severity of risk/i (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	erate, 4=major, 5=fatality y, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monit 11-15 Severe risk Requires immed 16-25 Emergency risk Halt activity an	diate further action and co	ntrol

Who may be affected?	Identified Risks	Use of PPE Controls	Risk Rating with controls	Action implementation
Staff	 most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell 	 Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE. PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary. PPE will not be required to be worn within the school facility according to current occupational and public health guidance. Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.ie/conditions/coronavirus/face- 		Board of Management Principal Staff
<u>Risk Level Calculatio</u> (a) Severity of risk/i (b) Likelihood of evo (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mc ent 1=rare, 2=unlikely, 3=lik	Risk Level Actionoderate, 4=major, 5=fatality1-5 Trivial riskAcceptableely, 4=very likely, 5=inevitable6-10 Medium riskRequires monitoring11-15 Severe riskRequires immediate furth16-25 Emergency riskHalt activity and review ir		ntrol

Who may be affected?	Identified Risks	<u></u>	er resources during Covid-19	Risk Rating with controls	Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 The Board of Management has to pre- rental scheme) and other resource methese will be available to pupils for following guidelines are recommender compiling resource packs: Maintain physical distancing (Observe good hygiene (hand we touch your eyes, nose, mouth after handling books and other follow the agreed school pro- Covid-19 Any books or other items (returned to the school sl Quarantining means placing labelled with the time and da period. These boxes should be active work areas within the si Following the expiry of the 7 	pare for the return of school books (book naterials (including IT equipment) so that the start of the new school year. The ed for staff when receiving or assisting in currently 2 metres) washing and respiratory etiquette, do not n with unwashed hands, etc.) before and er materials returned to the school tocols if you are displaying symptoms of resource packs, computers, etc.) being hould be quarantined for 72 hours these items in sealed boxes that are te of the start of the 72-hour quarantine e stored in a separate location away from school 2-hour quarantine period the items may bared for the next school year ne with relevant guidance	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	- njury 1=trivial, 2=slight, 3=mc nt 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth	ner action and co	ntrol

	16-25 Emergency risk Halt activity and review immediately
Assessment Date:	Assessor's Name:

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19 Risk Ra		Action implementation
anecteu:		Controls	with controls	Action implementation
Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 area and the route to the designated area should be easily accessible and as far as is reasonable and practicable, should be accessible by people with disabilities. The possibility of having more than one person displaying signs of Covid-19 needs to be considered so having additional isolation areas available or another contingency plan for dealing with additional cases must be planned. It would be important that the designated area has the ability to isolate the person behind a closed door and away from other workers If a person displays symptoms of Covid-19 the following procedure is to be implemented: ✓ Isolate the person and have a procedure in place to accompany the individual to the designated isolation area via the isolation route, keeping at least 2 metres away from the symptomatic person and also making sure that others maintain a distance of at least 2 metres from the symptomatic person at all times. ✓ Provide a mask for the person presenting with symptoms if one is available. He/she should wear the mask if in a common area with other people or while exiting the premises. ✓ Assess whether the individual who is displaying symptoms can immediately be directed to go home and call their doctor and continue self-isolation at home. 	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of ev (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mc ent 1=rare, 2=unlikely, 3=lik	Risk Level Actionoderate, 4=major, 5=fatality1-5Trivial riskAcceptableely, 4=very likely, 5=inevitable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review ir		ntrol

Who may be affected?	Identified Risks		l case of Covid-19 (continued) ontrols	Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	 family member, as soon as possible and by phone of their symptoms. Public the symptoms is a covid-1 ✓ If they are too unwell to go home or them that the sick person is a Covid-1 ✓ Carry out an assessment of the incide actions and recovery. 	ne, arrange for them to be transported home by a ad advise them to inform their general practitioner ransport of any kind should not be used advice is required, contact 999 or 112 and inform 9 suspect. Int which will form part of determining follow-up ne isolation area and work areas involved.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculati (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a)	/injury 1=trivial, 2=slight, 3=mo /ent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furthe16-25Emergency riskHalt activity and review in		ntrol

Assessment Date:	Assessor's Name:			
Who may be affected?	Identified Risks	Covid-19 cleaning	Risk Rating	Action implementation
		Controls	with controls	
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 suspected coronavirus (Covid-19) case. This wil reduce the risk of passing the infection on to other people The area should be kept closed and secure for 72 hours (if possible) for cleaning as the amount of virus living on surfaces will have reduced significantly by 72 hours For cleaning purposes, wear a face mask, disposable or washing up gloves. These should be double-bagged, then stored securely for 72 hours and then put with the regular rubbish after cleaning is finished should be double-bagged, Using a disposable cloth, first clean hard surfaces with warm soapy water. Then disinfect these surfaces with the cleaning products you normally use. Pay particular attention to frequently touched areas and surfaces, such as toilets, banisters on stairwells and door handles If an area has been heavily contaminated, such as with visible bodily fluids, from a person with coronavirus (Covid-19) consider using protection for the eyes, mouth and nose, as well as wearing gloves and apron 	Serious Requires monitoring	Board of Management Principal Cleaning staff
(a) Severity of risk/injury1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality(b) Likelihood of event1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable(c) Risk Rating = (a) X (b)				ntrol
Assessment Date:		Assessor's Name:		

Who may be affected? Identified Risks		Cleaning a space with a susp	ected/confirmed case of Covid-19	Risk Rating	Action implementation
uncered.		Co	ontrols	with controls	
Staff Pupils	Spread of Covid-19 virus	All cleaning will be undertaken in line with DES	and public health guidance.		Board of Management Principal
Visitors	 most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical 	Use disposable cloths or paper roll and disposable mob heads to clean all hard surface loors, chairs, door handles and sanitary fittings, using an approved and recognised detergent a lisinfectant in line with the manufacturer's instructions for dilution, aplication and contact time Disinfectants used should be effective against viruses.			Cleaning staff
	conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer	Additionally:		Serious	
	pregnant women	Avoid creating splashes and spray when clean Any cloths and mop heads used must be dispo below.	ing. osed of and should be put into waste bags as outlin	Requires monitoring	
	 A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough 	d			
	 Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death 	If possible, keep an area closed off and secure contamination will have decreased substantia	for 72 hours. After this time the amount of virus lly, and cleaning can take place as normal.		
Risk Level Calculati (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furthe16-25Emergency riskHalt activity and review in		ntrol
Assessment Date:	June, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Covid-19	uspected/confirmed case of (continued)	Risk Rating with controls	Action implementation
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	 ✓ Waste should be put in a plastic rule ✓ The plastic bag should then be place ✓ It should be put in a suitable and see individual's test results are known ✓ All waste should be stored safely ar waste in communal waste areas un has been stored for at least 72 hou ✓ If the individual tests negative, the 	obish bag and tied when full ed in a second bin bag and tied ecure place and marked for storage until the nd kept away from children. You should not put til negative test results are known or the waste	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review in		ntrol
Assessment Date:			Assessor's Name:		

Who may be affected?			nd from work	Risk Rating	Action implementation
		Cc	ntrols	with controls	
Staff	 they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, 	they should not travel to work. Wherever possible, staff should travel to work should not share transport to or from work. If availing of public transport, sit down to minin handles, roofstraps, isolation bars, etc.	Covid-19 or has been exposed to a confirmed case alone using their own means of transport – staff mise contact with frequently touched surfaces, least 60% alcohol) and use it regularly throughout	Requires monitoring	All staff
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furthe16-25Emergency riskHalt activity and review in		itrol

Assessment Date:		Assessor's Name:		
Who may be affected?	Identified Risks	Dropping off and picking up of pupils Controls	Risk Rating with controls	Action implementation
_	 most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) 	 Drop -Off of pupils Arrangements for dropping off and picking up pupils from the school facility will be organised to maintain, as far as is reasonably practicable, a safe social distance between drivers/parents/guardians and all school staff. Parents/guardians will be encouraged to wait outside the wall/gate and observe social distancing when dropping and collecting their child/children. Clear signage will specify entry and exit points. A one way system is to be adhered to. A designated staff member (SNA) will come to the gate/ wall to receive a child when deemed necessary. Dispersal of pupils Teacher on duty will call class individual family groups in turn from the line and wait until that group has left the exit point before another group is called. Infants will stand at designated cones and can be collected, in turn, from the yard using the designated entry and exit points in a one way system. 	Requires monitoring	Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	Risk Level Actionoderate, 4=major, 5=fatality1-5Trivial riskAcceptableely, 4=very likely, 5=inevitable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furthe	er action and co	ntrol

	16-25 Emergency risk Halt activity and review immediately
Assessment Date:	Assessor's Name:

Who may be affected?	Identified Risks	Visitors to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	The Board of Management will ensure the safety and wellbeing of all visitors to the school premises. Visits to the school will be severely restricted and visitors will be asked to:	Requires monitoring	Board of Management Principal

Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b)	1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further action and control16-25Emergency riskHalt activity and review immediately
Assessment Date:		Assessor's Name:

Who may be affected?	Identified Risks	Management of deliveries and supplies to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	delivered during the school day.	Requires monitoring	Board of Management Principal Staff Delivery personnel

Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b)	1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further action and control16-25Emergency riskHalt activity and review immediately
Assessment Date:		Assessor's Name:

Declaration of Sight

Signed:	Dated:
Signed:	Dated:

I have read and understand the contents of this document.

Signed:	Dated:
Signed:	Dated
Signed:	_ Dated:
Signed: August 2020	_ Dated:

Signed:	_ Dated
Signed:	Dated:
Signed:	Dated:
Signed:	Dated
Signed:	_ Dated:
Signed: August 2020	_ Dated:

Signed:	Dated	
	5 · · · ·	
Signed:	Dated:	